

Safety Data Sheet

Issue Date: 25-Oct-2012

Revision Date: 09-Dec-2013

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Power Lift

Other means of identification

SDS # WC-007
Product Code #41

Recommended use of the chemical and restrictions on use

Recommended Use Liquid cleaner, degreaser, stripper, solvent.

Details of the supplier of the safety data sheet

Supplier Address

Scotland Wholesale
Highway 401 South
Laurinburg, NC 28352

Emergency Telephone Number

Company Phone Number 910-276-2545
Emergency Telephone (24 hr) 910-276-2545

2. HAZARDS IDENTIFICATION

Appearance Blue liquid

Physical State Liquid

Odor No odor

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium xylenesulfonate	1300-72-7	Proprietary
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary
Sodium Silicate	1344-09-8	Proprietary
Tetrapotassium pyrophosphate	7320-34-5	Proprietary
Nonylphenoxy-poly-(Ethyleneoxy) Ethanol	26027-38-3	Proprietary
Caustic Soda	1310-73-2	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. Call a physician or poison control center immediately.
Ingestion	Rinse mouth. Dilute with milk or water. Neutralize by taking 2 tablespoons of vinegar.

Most important symptoms and effects

Symptoms	May cause eye burns and permanent eye damage. Prolonged contact may even cause severe skin irritation or mild burn.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Take up with sand, earth or other non-combustible absorbent material. Place in appropriate containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Caustic Soda 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Fan.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Risk of contact: Wear approved safety goggles.

Skin and Body Protection Wear suitable gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	No odor
Appearance	Blue liquid	Odor Threshold	Not determined
Color	Blue		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	14	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	None	
Lower Flammability Limit	None	
Vapor Pressure	Not determined	
Vapor Density	Not available	
Specific Gravity	1.06	(1=Water)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium Silicate 1344-09-8	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-
Nonylphenoxy-poly-(Ethyleneoxy) Ethanol 26027-38-3	-	= 1800 µL/kg (Rabbit)	-
Caustic Soda 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Sodium Silicate 1344-09-8		301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static		216: 96 h Daphnia magna mg/L EC50
Urea 57-13-6		16200 - 18300: 96 h Poecilia reticulata mg/L LC50		10000: 24 h Daphnia magna Straus mg/L EC50 3910: 48 h Daphnia magna mg/L EC50 Static
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Caustic Soda 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nonylphenoxy poly-(Ethylene oxy) Ethanol 26027-38-3		Included in waste stream: K060		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Soda 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda 1310-73-2 (Proprietary)	1000 lb			X

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Caustic Soda 1310-73-2	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
<u>HMIS</u>	Health Hazards 3	Flammability 1	Physical Hazards 0	Personal Protection Not determined

Issue Date: 25-Oct-2012
 Revision Date: 09-Dec-2013
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet