

# Safety Data Sheet

Issue Date: 04-Mar-2009

Revision Date: 18-Apr-2014

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Pine Cleaner

### Other means of identification

**SDS #** WC-029

**Product Code** #95

### Recommended use of the chemical and restrictions on use

**Recommended Use** Synthetic detergent.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Scotland Wholesale  
Highway 401 South  
Laurinburg, NC 28352

### Emergency Telephone Number

**Company Phone Number** 910-276-2545

**Emergency Telephone (24 hr)** 910-276-2545

## 2. HAZARDS IDENTIFICATION

**Appearance** Golden brown liquid

**Physical State** Liquid

**Odor** Pine

### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Pine oil	8002-09-3	Proprietary
Isopropyl alcohol	67-63-0	Proprietary
Ethyl Alcohol	64-17-5	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

##### First Aid Measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Drink large quantities of raw egg white or water. Do not induce vomiting.

##### Most important symptoms and effects

<b>Symptoms</b>	Not determined.
-----------------	-----------------

##### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically. Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen, and measures to support breathing manually or mechanically may be needed.
---------------------------	---

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Water. Foam. Dry chemical.

**Unsuitable Extinguishing Media** Not determined.

##### Specific Hazards Arising from the Chemical

None known.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required. Remove all sources of ignition.

##### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Contain and collect with an inert absorbent and place into an appropriate container for disposal. Dispose of in accordance with federal, state and local regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Keep away from heat.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Do not contaminate food or feed stuffs.

**Incompatible Materials** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear eye/face protection.

**Skin and Body Protection** Wear suitable gloves.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	<b>Odor</b>	Pine
<b>Appearance</b>	Golden brown liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Golden brown		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	8	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	Not available	
Flash Point	None	
Evaporation Rate	Not available	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	None	

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Lower Flammability Limit	None	
Vapor Pressure	Not determined	
Vapor Density	Not available	
Specific Gravity	0.984	(1=Water)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

None known based on information supplied.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Do not taste or swallow.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Pine oil 8002-09-3	= 3200 mg/kg ( Rat )	= 5 g/kg ( Rabbit )	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rat ) = 12870 mg/kg ( Rabbit )	= 72.6 mg/L ( Rat ) 4 h
Trade Secret	-	= 1800 µL/kg ( Rabbit )	-
Trade Secret	= 84 mg/kg ( Rat )	-	-
Trade Secret	= 426 mg/kg ( Rat )	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0		Group 3		X
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

### Numerical measures of toxicity

Not determined

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Pine oil 8002-09-3				17 - 28: 48 h Daphnia magna mg/L EC50 Flow through
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05
Ethyl Alcohol 64-17-5	-0.32

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Trade Secret		Included in waste stream: K060		

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable
Ethyl Alcohol 64-17-5	Toxic Ignitable

**14. TRANSPORT INFORMATION****DOT** Not regulated**IATA** Not regulated**IMDG** Not regulated**15. REGULATORY INFORMATION****International Inventories**

Not determined

**US Federal Regulations****SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	Proprietary	1.0

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Pine oil 8002-09-3	X		
Isopropyl alcohol 67-63-0	X	X	X
Ethyl Alcohol 64-17-5	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

1

**Flammability**

0

**Physical Hazards**

0

**Personal Protection**

Not determined

**Issue Date:** 04-Mar-2009**Revision Date:** 18-Apr-2014**Revision Note:** New format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**